






The Toughest Hose Protection Products on the Planet...Period!

## Rhino Firesleeve



## **FEATURES & BENEFITS**

**RHINO FIRESLEEVE** is designed to protect hoses, wire and cables from the hazards of high heat and occasional flame. Rated for 500°F (260°C) continuous exposure, up to 2000°F (1093°C) for 15-20 minutes and up to 3000°F (1650°C) for 15-30 seconds. Made of knitted construction fiberglass yarns in a flexible substrate, it is then coated with a high-grade silicone rubber.

Resistant to hydraulic fluids, lubricating oils, and fuels, *RHINO FIRESLEEVE* insulates against energy loss in piping and hosing, protects employees from burns and allows, "bundling" of wires, hoses and cables.

Color: Material: Construction: Maximum Continuous Temperature: Size Range: Molten splash resistance: Flame resistance: Flame resistance: Flexibility: Water and Oil resistance: Orange Type E Fiberglass Silicone Elastomer Coating Knitted (Industrial) 500°F (260°C) 1/4" (6.4mm) - 5" (127mm) Outstanding Very Good Outstanding Outstanding Outstanding

SRM P/N:	ln.	Mm.
RFS-038	3/8	9.6
RFS-050	1/2	12
RFS-062	5/8	15
RFS-075	3/4	19
RFS-100	1.00	25.4
RFS-125	1-1/4	32
RFS-150	1-1/2	38
RFS-175	1-3/4	44
RFS-200	2.00	51
RFS-250	2-1/2	64
RFS-275	2-3/4	70
RFS-300	3.00	76
RFS-350	3-1/2	89

\* Other sizes and pricing available upon request

Standard package is a 50-foot box

## **AVAILABLE OPTIONS**

Other colors (Blue, Green, Yellow, Red, Black/Grey) may be available, call for availability

## **TYPICAL INDUSTRIES:**

Hose Fabrication, Oil & Gas, OEM, Locomotive, Metals

Proper use of product is the sole responsibility of the user.

Manufactured for SRM Industries Inc.